


20 000 809 Produktversion ab 13.03.2017




- Bohrungsdurchmesser 32 mm
- Rosette Ø 60 mm
- mit Kaltkennzeichnung

	Platin	20 000 809-08
	Chrom	20 000 809-00
	Platin gebürstet	20 000 809-06
	Dark Brass matt	20 000 809-16
	Dark Bronze matt	20 000 809-17
	Dark Chrome	20 000 809-19
	Light Gold gebürstet	20 000 809-27
	Messing gebürstet (23kt Gold)	20 000 809-28
	Bronze gebürstet	20 000 809-42
	Champagne gebürstet (22kt Gold)	20 000 809-46
	Champagne (22kt Gold)	20 000 809-47
	Dark Platinum gebürstet	20 000 809-99

mm [inches]



Durchflussdiagramm



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	



VAIA Seitenventil , rechtsschließend , kalt - Platin

VAIA

20 000 809 Produktversion ab 13.03.2017


Zertifikate

WRAS_2310

LGA_29

IAPMO_4976

Ersatzteile für die
anderen
Oberflächenvarianten
finden Sie hier:
Chrom



Ersatzteilstückliste

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
3	09 24 01 028 90	Ring Ø 42 x 9 mm -	1,00	2
5	04 17 11 055 31 90	Seitenventil , rechtsschließend 1/2" -	1,00	2
1	90 20 80 010 00-08	Griff für Wanne / Waschtisch Stand Cold Ø 71 x 63 mm - Platin	1,00	40
6	90 90 03 131 00 90	Oberteil , rechtsschließend 1/2" -	1,00	2
2	09 28 10 003 90	Dichtung 39 x 32,5 x1 mm -	1,00	2
4	04 23 10 032 46 90	Befestigung mit Dichtungen M30 x 1,5 -	1,00	2