

28 450 980



- Brauseabgang 3/8"
 - Rosette 60 x 60 mm
 - Anschluss 1/2"
- Eigensicher gegen Rückfließen.

	Dark Chrome	28 450 980-19
	Chrom	28 450 980-00
	Platin gebürstet	28 450 980-06
	Platin	28 450 980-08
	Light Gold (PVD)	28 450 980-26
	Light Gold gebürstet (PVD)	28 450 980-27
	Messing gebürstet (23kt Gold)	28 450 980-28
	Schwarz matt	28 450 980-33
	Gold gebürstet (PVD)	28 450 980-37
	Dark Brass gebürstet (PVD)	28 450 980-39
	Bronze gebürstet (PVD)	28 450 980-42
	Champagne gebürstet (22kt Gold)	28 450 980-46
	Champagne (22kt Gold)	28 450 980-47
	Chrom gebürstet	28 450 980-93
	Dark Platinum gebürstet	28 450 980-99

Empfohlenes Zubehör


- UP-Wandwinkel -

•Min. Einbautiefe 90 mm


•Max. Einbautiefe 163 mm

35 085 970 90





Durchflussdiagramm



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
UK Water Supply Regulations			



Wandanschlussbogen - Dark Chrome

SERIENSPEZIFISC

28 450 980

Zertifikate und Nachhaltigkeit

Belgaqua_22_280_2 WRAS_2310 IAPMO_4976

28 450 980

