

MEM UP-Zweiwege-Umstellung - Dark Chrome

MEM

36 200 782




- Drehumstellung
- Rosette 60 x 60 mm


|                                                                                   |                                       |               |
|-----------------------------------------------------------------------------------|---------------------------------------|---------------|
|  | Dark Chrome                           | 36 200 782-19 |
|  | Chrom                                 | 36 200 782-00 |
|  | Platin gebürstet                      | 36 200 782-06 |
|  | Platin                                | 36 200 782-08 |
|  | Messing gebürstet<br>(23kt Gold)      | 36 200 782-28 |
|  | Bronze gebürstet                      | 36 200 782-42 |
|  | Champagne<br>gebürstet (22kt<br>Gold) | 36 200 782-46 |
|  | Champagne (22kt<br>Gold)              | 36 200 782-47 |
|  | Dark Platinum<br>gebürstet            | 36 200 782-99 |

36 200 782

mm [inches]



Durchflussdiagramm



Codes & Standards

|          |          |                        |                             |
|----------|----------|------------------------|-----------------------------|
| DIN 4109 | ISO 3822 | Scottish Water Byelaws | UK Water Supply Regulations |
|----------|----------|------------------------|-----------------------------|

Ü-Zeichen



## MEM UP-Zweiwege-Umstellung - Dark Chrome

---

MEM

36 200 782

### Zertifikate

---

LGA\_38

WRAS\_2307

36 200 782

Ersatzteile für die  
anderen  
Oberflächenvarianten  
finden Sie hier:  
Chrom

