

36 210 740




- Drehumstellung
- ohne Rosette
- Griff Ø 60 mm


|                                                                                     |                                 |               |
|-------------------------------------------------------------------------------------|---------------------------------|---------------|
|    | Dark Chrome                     | 36 210 740-19 |
|    | Chrom                           | 36 210 740-00 |
|    | Platin gebürstet                | 36 210 740-06 |
|    | Light Gold                      | 36 210 740-26 |
|    | Light Gold gebürstet            | 36 210 740-27 |
|    | Messing gebürstet (23kt Gold)   | 36 210 740-28 |
|    | Schwarz matt                    | 36 210 740-33 |
|    | Bronze gebürstet                | 36 210 740-42 |
|    | Champagne gebürstet (22kt Gold) | 36 210 740-46 |
|   | Champagne (22kt Gold)           | 36 210 740-47 |
|  | Dark Platinum gebürstet         | 36 210 740-99 |

36 210 740

mm [inches]



### Durchflussdiagramm



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

### Ü-Zeichen



UP-Dreiwege-Umstellung - Dark Chrome

SERIENSPEZIFISC

36 210 740

Zertifikate

LGA\_38

WRAS\_2307

36 210 740

Ersatzteile für die  
anderen  
Oberflächenvarianten  
finden Sie hier:  
Chrom

