



HANSA

Installation and maintenance guide



4-7



8-13



14





14



3780 2107





EN 817
50 - 1000 kPa
0.13 l/s (300 kPa w/Controller)
max. +90°C



mpi.hansa.com/37802107

5109 2133




EN 817
50 - 1000 kPa
0.13 l/s (300 kPa w/Controller)
max. +90°C



mpi.hansa.com/51092133

0640 2133




EN 817
50 - 1000 kPa
0.13 l/s (300 kPa w/Controller)
max. +90°C



mpi.hansa.com/06402133

4489 2133



EN 817
50 - 1000 kPa
0.13 l/s (300 kPa w/Controller)
max. +90°C



mpi.hansa.com/44892133

5793 2131



EN 817
50 - 1000 kPa
0.13 l/s (300 kPa w/Controller)
max. +90°C



mpi.hansa.com/57932131

5794 2131



EN 817
50 - 1000 kPa
0.13 l/s (300 kPa w/Controller)
max. +90°C



mpi.hansa.com/57942131

**5795 2131**



EN 817
50 - 1000 kPa
0.13 l/s (300 kPa w/Controller)
max. +90°C



mpi.hansa.com/57952131

5796 2131




EN 817
50 - 1000 kPa
0.13 l/s (300 kPa w/Controller)
max. +90°C



mpi.hansa.com/57962131

4490 2133




EN 817
50 - 1000 kPa
0.13 l/s (300 kPa w/Controller)
max. +90°C





mpi.hansa.com/44902133



5480 2137


EN 817
50 - 1000 kPa
0.13 l/s (300 kPa w/Controller)
max. +90°C




mpi.hansa.com/54802137









EN 806



①








EN 806



①



59 913 136



EN 806




⑤






⑤



⑨



③ ④ ⑤





EN 806



③



③






⑥



⑥



⑨




EN 806





2/2.5

⑨



⑦ ⑧ ⑨



About Oras Group

Oras Group is a significant European provider of sanitary fittings: the market leader in the Nordics and a leading company in Continental Europe.

The company's mission is to create the smartest water experiences for everyone and its vision is to become the Perfect Flow Company.

The Group has two strong brands, Oras and Hansa. Oras Group is owned by Oras Invest, a family company, and an industrial owner.

The domicile of Oras Ltd, the parent company of the Group, is located in Rauma, Finland, and the Group has two manufacturing sites: Olesno (Poland) and Rauma (Finland).

The Group operates with its own staff in 17 markets. Oras Group's net sales were 233.5 million euros in 2021 and at the end of the period the company employed 1255 people.

HANSA Armaturen GmbH
P. O. BOX 81 02 40
D-70519 Stuttgart
Sigmaringer Strasse 107
D-70567 Stuttgart
Tel.: +49 711 16 14 0
Fax: +49 711 16 14 368
info@hansa.de
www.hansa.com

